

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS.

UNITED STATES.

[Reports to the Surgeon-General Public Health and Marine-Hospital Service.]

Report from Vanceboro, Me.—Precautions taken on Canadian border to prevent importation of smallpox.

Acting Assistant Surgeon Young reports, January 8, as follows: Week ended January 7, 1906. Inspected 18 passenger trains and 18 freight trains carrying passengers, making a total of 953 passengers passed. Vaccinated 18 and refused admission to 1.

STATISTICAL REPORTS OF STATES AND CITIES OF THE UNITED STATES, YEARLY AND MONTHLY.

Connecticut—*Hartford*.—Month of December, 1905. Estimated population, 62,000. Total number of deaths, 104, including enteric fever 2, and 12 from tuberculosis.

Iowa—Davenport.—Month of December, 1905. Estimated population, 42,000. Total number of deaths, 42, including diphtheria 2, enteric fever 1, and 3 from tuberculosis.

MARYLAND—Baltimore.—Month of October, 1905. Estimated population, 550,000; white, 464,000; colored, 86,000. Total number of deaths, 822; white 610, colored 212, including diphtheria 14, enteric fever 28, measles 3, scarlet fever 2, whooping cough 11, and 104 from tuberculosis.

Month of November, 1905. Total number of deaths, 903; white, 692; colored, 211, including diphtheria 13, enteric fever 35, whooping cough 8, and 129 from tuberculosis.

MINNESOTA—Winona.—Month of December, 1905. Estimated population, 23,000. Total number of deaths, 19, including enteric fever 1, and 1 from phthisis pulmonalis.

NEW HAMPSHIRE—Concord.—Month of November, 1905. Estimated population, 20,000. Total number of deaths, 25, including enteric fever 1, and 2 from tuberculosis.

Month of December, 1905. Total number of deaths, 19, including 1 from tuberculosis.

42

Manchester.—Month of December, 1905. Estimated population, 62,000. Total number of deaths, 113, including diphtheria 1, and 11 from tuberculosis.

NEW YORK—Troy.—Month of November, 1905. Census population, 60,657. Total number of deaths, 135, including diphtheria 2, enteric fever 4, scarlet fever 1, whooping cough 1, and 17 from tuberculosis.

Month of December, 1905. Total number of deaths, 125, including enteric fever 4, and 16 from tuberculosis.

OHIO.—Reports to the State board of health for the 12 weeks ended December 16, 1905, from 86 localities, having an aggregate population of 1,460,080, show 102 deaths from diphtheria, 69 from enteric fever, 26 from scarlet fever, and 7 from whooping cough.

Toledo.—Year ended December 31, 1905. Estimated population, 164,264. Total number of deaths, 1,882, including diphtheria 19, enteric fever 71, measles 1, scarlet fever 6, whooping cough 4, and 214 from tuberculosis.

Wisconsin—*Milwaukee*.—Month of November, 1905. Estimated population, 335,000, Total number of deaths, 326, including diphtheria 7, enteric fever 4, scarlet fever 2, and 33 from tuberculosis.

Smallpox in the United States as reported to the Surgeon-General, Public Health and Marine-Hospital Service, December 30, 1905, to January 19, 1906.

For reports received from June 30, 1905, to December 29, 1905, see Public Health Reports for December 29, 1905.

[Note.—In accordance with custom, the tables of epidemic diseases are terminated semiannuary and new tables begun.]

Place.	Date.	Cases.	Deaths.	Remarks.
alifornia:				
Imperial	Jan. 13 Dec. 17–30	1 7		
Total for State		8		
Total for State, same period, 1905.				
colorado:	0 1.37 90	-		
Boulder County Eagle County	Oct. 1-Nov. 30	$\frac{1}{2}$		
Mesa County	. Oct. 1-Nov. 30	$\frac{1}{10}$		
Teller County		ĩ		
Total for State		15		
Total for State, same period, 1905.		7		
elaware: Wilmington	Jan. 7-13	2		
Total for State		2		
Total for State, same period, 1905.				
District of Columbia: Washington	Dec. 17-Jan. 6	13	1	
Total for District		13	1	
Total for District, same period, 1905.		4		